

ANALYTICA CHIMICA ACTA

An international journal devoted to all branches of analytical chemistry



(Full texts are incorporated in C/JELSEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

VOL. 352 NO.1-3

CONTENTS

OCTOBER 10, 1997

Stationary phases for peptide analysis by high performance liquid chromatography: a review K. Štulík, V. Pacáková, J. Suchánková (Prague, Czech Republic) and H.A. Claessens (Eindhoven, Netherlands)	1
Strong cation-exchange high-performance liquid chromatography as a versatile tool for the characterization and purification of peptides D.L. Crimmins (St. Louis, MO, USA)	21
Derivatization of peptides for their determination by chromatographic methods M. Koller and H. Eckert (Garching, Germany)	31
High-performance liquid chromatographic determination of peptide drugs in biological fluids by means of pre- and post-column fluorescence derivatization techniques V.K. Boppana and C. Miller-Stein (King of Prussia, PA, USA)	61
Liquid chromatography/mass spectrometry of peptides of biological samples B. Mehlis and U. Kertscher (Berlin, Germany)	71
Analysis of endogenous neuropeptides by reversed-phase high-performance chromatography and mass spectrometry D.M. Desiderio (Memphis, TN, USA)	85
Liquid chromatography of peptides treated with fluorogenic reagents and its application to analyses of opioid peptides, their precursors and related enzymes in rat brain M. Kai (Fukuoka, Japan) and Y. Ohkura (Kumamoto, Japan)	103
Sample preparation and reversed phase-high performance liquid chromatography analysis of food-derived peptides T. Herraiz (Madrid, Spain)	119
Analyses of iminodipeptides containing C-terminal proline or hydroxyproline in biological samples by liquid chromatography/mass spectrometry H. Kodama and K. Sugahara (Kochi, Japan)	141
Peptides as tools for studying propeptide and proprotein processing M. Rholam and P. Cohen (Paris, France)	155
High performance liquid chromatographic determination of peptidase activity toward proline-containing peptides M. Harada (Shiojiri, Japan)	179
High performance liquid chromatographic analysis of human hemoglobins and their polypeptide chains: its use in the identification of variants T.H.J. Huisman (Augusta, GA, USA)	187
Analysis of peptides from bovine hemoglobin and tuna myoglobin enzymatic hydrolysate: use of HPLC with on-line second-order derivative spectroscopy for the characterization of biologically active peptides Q. Zhao, C. Le Coeur and J.M. Piot (La Rochelle, France)	201
Development of an optimized peptide map for recombinant activated human protein C by means of an experimental design strategy A.D. Carlson, J.D. Hofer and R.M. Riggin (Indianapolis, IN, USA)	221
Ion-pair RP-HPLC separation of thymopoietin fragments and related peptides M. Gazdag, K. Mihályfi and S. Görög (Budapest, Hungary)	231
HPCL and post-column derivatization with fluorescamine: isolation of actin-sequestering β -thymosins by reversed-phase PHLC T. Huff, C. Müller and E. Hannappel (Erlangen, Germany)	239
Oxidation and reduction of thymosin β_4 and its influence on the interaction with G-actin studied by reverse-phase HPLC and post-column derivatization with fluorescamine T. Huff and E. Hannappel (Erlangen, Germany)	249
Reversed-phase chromatography of pentosidine-containing CNBr peptides from collagen Z. Deyl, I. Mikšík, J. Zicha and D. Jelínková (Prague, Czech Republic)	257

(Continued overleaf)

Partial purification and biochemical characterization by liquid chromatography of specific myo-mitogenic factor(s) from culture medium of activated macrophages L.D. Libera, B. Martin, M.L. Massimino and M. Cantini (Padova, Italy)	271
Chromatography of microcystins J. Meriluoto (Turku, Finland)	277
Determination of a cyclic hexapeptide (L-743 872), a novel pneumocandin antifungal agent in human plasma and urine by high-performance liquid chromatography with fluorescence detection M. Schwartz, W. Kline and B. Matuszewski (West Point, PA, USA)	299
HPLC in the characterisation of conformational species of linear gramicidins D. Salom, M.C. Bañó, L. Braco and C. Abad (Burjassot, Spain)	309
Serum stability of phosphopeptides R. Hoffmann, M. Vasko and L. Otvos, Jr. (Philadelphia, PA, USA)	319
Separation of sets of mono- and diphosphorylated peptides by reversed-phase high performance liquid chromatography R. Hoffmann, M. Segal and L. Otvos, Jr. (Philadelphia, PA, USA)	327
Chromatographic methods for the separation of enantiomers and epimers of β -alkyl amino acids and peptides containing them A. Péter and G. Tóth (Szeged, Hungary)	335
Discrimination of D/L-amino acid in peptide sequence based on fluorescent chiral derivatization by reversed-phase liquid chromatography T. Suzuki, T. Watanabe and T. Toyo'oka (Shizuoka, Japan)	357
Monitoring of α -helical secondary structures in peptides by reversed-phase HPLC of replacement sets E. Krause, S. Rothmund, M. Beyermann and M. Bienert (Berlin, Germany)	365
Selective purification of synthetic proteins by the use of Fmoc- and biotin-based reversible chromatographic probes P. Mascagni, H.L. Ball and G. Bertolini (Milan, Italy)	375
Size-exclusion high-performance liquid chromatography of peptides: a review G.B. Irvine (Belfast, UK)	387
Separation of a casein hydrolyzate by HPSEC with a new mobile phase and characterization of peptides by FABMS L. Lemieux, J. Amiot (Québec, Canada), J.M. Piot (La Rochelle, France) and D. Guillochon (Lille, France)	399
Recent advances in peptide separation by countercurrent chromatography Y. Ma and Y. Ito (Bethesda, MD, USA)	411
<i>Author Index</i>	429

